

Tele: 23793509
Fax: 23793541/23794549

Amdt 04 to Policy No 07/2007

Directorate General Married
Accommodation Project
Engineer-in-Chief's Branch,
Integrated HQ of MoD (Army)
Kashmir House, Rajaji Marg,
DHQ PO, New Delhi-110 011

21311/TMT Steel/P&S/ 195 /MAP

11 Apr 2008

.....
.....
(DG MAP List A, B & C)

**AMENDMENT TO POLICY ON GUIDELINES FOR USE,
FORMULATING SPECIFICATIONS AND SOURCING OF
STEEL FOR MAP WORKS**

1. Further to our Policy letter No 07/2007 dated 29 Jun 2007, Amdt 01 of policy letter No 07/2007 dated 26 Nov 2007, Amdt 02 of policy letter No 07/2007 dated 27 Nov 2007 and Amdt 3 of policy letter No 07/2007 dated 31 Mar 2008.
2. It is to inform that while using TMT steel Fe 500 it must be checked for its chemical & physical properties and it should be ascertained from a reputed NABL approved laboratory that minimum elongation is 14.5% till BIS revises its provisions for each lot.
3. This is no other change in policy for procurement of steel.

(Sanjeev Gupta)
Lt Col
SO1 (P&S)
for DG MAP

Internal

Plg Team 'A' , Plg Team 'B', Contract Sec