

Tele: 23793509

Policy letter No 01/2010
Directorate General Married
Accommodation Project
E-in-C's Branch,
Integrated HQ of MoD (Army)
Kashmir House, Rajaji Marg,
DHQ PO New Delhi – 110 011

21321/CP/Policy/P&S/ /MAP

21 June 2010

.....
.....
.....

DG MAP (All PMs / Consultants)

INCORPORATION OF TOWEL RINGS IN MAP PH-II

1. In MAP Ph-II, the following Wash Hand Basins (WHB) are being provided :-
 - a) Offrs DUs : 3 Nos
 - b) JCOs/ORs DUs : 2 Nos
2. It has now been decided that Towel Rings will be installed next to each WHB in the DUs. The Towel Rings should have the following specifications :-

(a)	<u>Ser No</u>	<u>Plating</u>	<u>Thickness</u>
	(i)	Nickle Plating	10 Micron
	(ii)	Chrome Plating	0.3 Micron

 - (b) The ring should be of brass and should have minimum thickness 25 gauge and outer diameter of brass pipe as 12 mm. The minimum weight of the Towel Ring should be 250 gm. The bracket of the Towel Ring should also be of brass.
 - (c) Only those type of Towel Rings will be incorporated which are open from one side. A figurative sketch is attached as Appx 'A'.
3. The Towel Rings shall be incorporated only of the firms already approved for bathroom fittings and accessories by this HQ.
4. It is clarified that the Towel Rings shall be in addition to Towel Rails.

5. Executing Agencies and Planning Teams of DG MAP must ensure provisioning of the above specifications in the project DPRs. For projects where DPRs are approved, provisioning may be ensured at tender / execution stage. **For Projects where contracts have been concluded, changes shall be carried out on case to case basis, depending upon contractual implication, financial health, present progress of the project in close coordination with planning Team of DG MAP and prior approval of Accepting Officer.**

(JS Sodhi)
Lt Col
SO 1 (P&S)
for DG MAP

Encls : As above

Copy to :

Team 'A'	–	for necessary action please.
Team 'B'	–	–do–
Contract Section Team 'A'	–	–do–
Contract Section Team 'B'	–	–do–