

Tele: 23793509

Policy letter No 02/2010
Directorate General Married
Accommodation Project
E-in-C's Branch,
Integrated HQ of MoD
(Army)
Kashmir House
Rajaji Marg, DHQ PO
New Delhi – 110 011

21329/Curtain Rod/P&S/ /MAP

13 July 2010

.....

.....

.....

DG MAP (All PMs / Consultants)

shower curtain rods

1. *Shower curtain rods have been incorporated in two toilets of the Offrs DUs in MAP Phase-II.*
2. *Light weight GI pipe of 20 mm diameter will be used for the shower curtain rod to be installed in the toilets of the Offrs DUs. Five plastic curtain rings will also be provided for each toilet.*
3. *Executing Agencies and Planning Teams of DG MAP must ensure provisioning of the above specifications in the project DPRs. For projects where DPRs are approved, provisioning may be ensured at tender / execution stage. For Projects where contracts have been concluded, changes shall be carried out on case to case basis, depending upon contractual implication, financial health, present progress of the project in close coordination with HQ DG MAP and prior approval of Accepting Officer.*

(JS Sodhi)
Lt Col
SO 1 (P&S)
for DG MAP

Copy to:

Team 'A' – For info please. Please disseminate the above info to all the Nodal Officers.

Team 'B' – -do-